

ALIETTE® WDG Fungicide
For Aerial Application on Hops

EPA Reg. No. 264-516 EPA SLN. No. ID-960013

Bayer CropScience LP P.O. Box 12014, 2 T.W. Alexander Drive Research Triangle Park, NC 27709 (919) 549-2000

24(c) Supplemental Label

FOR DISTRIBUTION AND USE ONLY WITHIN THE STATE OF IDAHO

DIRECTIONS FOR USE:

It is a violation of Federal and State Law to use this product in a manner inconsistent with its labeling. This label must be in the possession of the user at the time of pesticide application. Follow all applicable directions, restrictions, Worker Protection Standard requirements, and precautions on the EPA registered label.

DISEASE	APPLICATION METHOD	RATE lbs product	APPLICATION PROGRAM
Hop Downy Mildew (Pseudoperonospora humuli))	Aerial Application	2.5/Acre	When conditions are favorable for disease development (warm and humid) applications should be made as follows:
			(1) when shoots are 6-12 inches high;
			(2) after training when vines are 5-6 feet tall;
		·	(3) approximately three weeks after the second application; and
			(4) during bloom.
			Use a sufficient volume of water to insure complete coverage of foliage.

RESTRICTIONS AND LIMITATIONS

Do not apply within 24 days of harvest (PHI).

Do not apply more than 10 lbs/Acre per growing season.

Do not feed hop refuse to animals.

Do not apply in less than 10 GPA

For MEDICAL And TRANSPORTATION Emergencies ONLY Call 24 Hours A Day 1-800-334-7577
For PRODUCT USE Information Call 1-866-99BAYER (1-866-992-2937)

or

Visit our worldwide web site at www.bayercropscienceus.com

As with any crop-protection product, always read and follow label directions. For additional information call toll-free 1-866-99BAYER (1-866-992-2937).

ALIETTE® is a registered trademark of Bayer.